





115-007

													e erageta u	n man diament appe			
	APPROVED 💨															REV	-
1005-0009	DATE			:										294 N. Winoosia Ave. Burington, VT (P) 802-862-6629	MG-DVRT-3 WITH MULTIPLE SENSOR MOUNTING	5-0009	SHEET 1 OF 1
REVISIONS								•		20					-3 WITH fountly	PWG NO. 1005-0009	DATE: SEPT 2001
	DESCRIPTION							42				42		/ MicroStrain		OXYZ	4:1
	REV	1								V		F16.4a			NCHES	do SIZE	SOME
	ZONE		2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0	~ °	7							TWIESS OTHERWISE SPECIFIED ALL TITICENSIONS ARE IN INCHES. TITIERANCES (UOS) TRACTIONS: +4:101	SOC #4.005 ENGLES: 44.05 DEGREES FIGURE 63 MICROINCHES	Stephen Pendo	KOVED BY:
					,	96				72	.\ 		1	Mada M	46 -]:` *	:
THIS DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF MCROSTRAIN DR. AND SHALL WITH HE REPRODUCED WITHOUT HE PROPERTY OF THE PRO	STANTANTO							18 1	2002					5/	e320		
THIS DRAWING AND SPECT MICROSTRAIN INC. AND SI	THE THE PERSON WITH THE PERSON							2000 Piloto van 2 0 0		97	56					_	

The state of the s

115-007

ğ いっというという MG-DVRT-3 TYPICAL MOUNTING - CLAMP (.06710, .08100, .125 LONG .015-020 SLOT, 316 SS) MicroStrain Burlington, VT (P) 802-862-6629 SHEET 1 OF 1005-5001 DNG NO. 1005-0007 SCALE = 15X #.0725 REAMED HOLE DATE - MG-DVRT-3 7880 CONFIGURATION DATE: 9 SEPT 2002 REMSTONS 46 OXYZ9 22 DESCRIPTION SCALE 3:1 MOUNTING BLOCK **-.25** - .50° -46 ANGLES: +/- 0.5 DEGREES SURFACE FINISH: 63 MICROINCHES ١ ĕ DRAWN BY: Stephen Pendo NLESS OTHERWISE SPECIFIED IMENSIONS ARE IN INCHES. +-1/64 XX +/-.01 +/-.005 HONE Ķ .125 TOLERANCES (UOS)
FRACTIONS: +/-1/6 APPROVED BY: DECIMALS: CENTURY SPRING (L-37 (.994GC, .374ID, .310 FREE LENGTH 9 COILS OF 9.010 SST WIRE) NOMINAL COMPRESSED LENGTH .13G COMPRESSION SPRING 8 CLAMP -下16,41 CABLE THS DRAWING AND SPECIFICATIONS AND THE PROPERTY OF MICROSTRAMY INC. AND SHALL WOT BE NEPRODUCED WHERE CHEMINES IND. FROM MICROSTRAMING. 1